

Neo Selentium Cabinet Range of Soundproof Rackmount Cabinets

Models: 15U, 27U, 36U, 42U

This versatile range of soundproof Rackmount cabinets is available in 14 size combinations and various colours, black being the standard finish.

6 x Neo quiet fans located in the roof unit provide assisted cooling. This Rackmount cabinet range is ideal for lower thermal requirements and delivers excellent levels of noise reduction.



Neo Selentium 27U Soundproof IT Cabinet (LNS-27U-610)

Image shows the front door removed. The cooling unit can be seen located in the roof, consisting of 4 whisper quiet fans.



Neo Selentium 27U Soundproof IT Cabinet (LNS-27U-610)
Image shows the side panel removed to show the sturdy internal structure, and the acoustic material lining. There is a large open floor section for cable entry.



Neo Selentium 27U Soundproof IT Cabinet (LNS-27U-610)
Image shows the solid metal structure, and the standard black finish.
Locks on the front door and side panel provide added security.



Neo Selentium 27U Soundproof IT Cabinet (LNS-27U-610)

Image shows the front view of the 27U cabinet fitted with heavy-duty castors.

Neo Selentium Cabinet Range Prices*

| Product Code | Useable Height | Max Useable Depth | Dimensions in mm (Height/Width/Depth)** |
|--------------|----------------|-------------------|---|
| LNS-15U-68 | 15U | 695mm | 925 x 600 x 800 |
| LNS-15U-69 | 15U | 795mm | 925 x 600 x 900 |
| LNS-15U-610 | 15U | 895mm | 925 x 600 x 1000 |
| LNS-27U-68 | 27U | 695mm | 1460.5 x 600 x 800 |
| LNS-27U-69 | 27U | 795mm | 1460.5 x 600 x 900 |
| LNS-27U-610 | 27U | 895mm | 1460.5 x 600 x 1000 |
| LNS-27U-88 | 27U | 695mm | 1460.5 x 800 x 800 |
| LNS-36U-68 | 36U | 695mm | 1860 x 600 x 800 |
| LNS-36U-69 | 36U | 795mm | 1860 x 600 x 900 |
| LNS-36U-610 | 36U | 895mm | 1860 x 600 x 1000 |
| LNS-42U-68 | 42U | 695mm | 2125 x 600 x 800 |
| LNS-42U-69 | 42U | 795mm | 2125 x 600 x 900 |
| LNS-42U-610 | 42U | 895mm | 2125 x 600 x 1000 |
| LNS-42U-88 | 42U | 695mm | 2125 x 800 x 800 |

**Add to above heights, jacking feet 50mm and heavy-duty castors 70mm. Transit castors and jacking feet are supplied as standard. Transit castors should be removed prior to installing equipment. Clearance from front mounting rails to door is 50mm. Bespoke solutions also available.

Neo Selentium Cabinet Range Technical Specifications

| | |
|----------------------|--|
| Fan Modules | 1 |
| Cabinet Finish | Metal frame with standard black finish. Custom colours available. |
| Cabinet Features | <p>Lockable doors and side panels.</p> <p>Selentium-quiet cooling unit located in the roof.</p> <p>Fully lined with acoustic materials.</p> <p>Large cable entry located in the floor of the quiet cabinet.</p> <p>Built to international standards.</p> <p>Fully mobile on heavy duty locking castor wheels (optional).</p> |
| Included Accessories | Supplied with jacking feet and transit castors, earth bonding kit and pack of cage nuts & screws. |
| Access | Side panels are removable. |

Delivery

Ships fully assembled and ready to use.

Features & Benefits

- Excellent noise reduction
- Built in assisted cooling for thermal dissipation
- Available in 14 size combinations
- Bespoke solutions available
- Resellers welcome